

# Common Thread

ROLLS | MODULAR CARPET







## Common Thread

Designed to interplay with Artisan, Common Thread lives up to its name. This versatile tile can mix and mingle with several EF Contract products, providing a new layer of flexibility to flooring design.














COORDINATING PALETTE

Beyond the beauty of individual products, EF Contract’s flooring **coordinates effortlessly** across all of our product platforms - modular carpet tile, broadloom, LVT and Kinetex textile composite flooring. This offering enables you to blend a range of designs to create **palettes** that meet the demands of each unique space.

1	VESTIGE - STEEL	VES53	KINETEX
2	ROMANTIC - ENGAGEMENT	ROM47	MODULAR
3	STITCH II - BARKCLOTH	STT47	MODULAR + BROADLOOM
4	COMMON THREAD - INDIGO SPIRIT	CMT49	MODULAR + BROADLOOM
5	WOODLANDS II - IRONWOOD	001	LVT
6	IMPRINT - IRON	IMP55	KINETEX
7	KASURI - KON	KAS48	MODULAR
8	MUSICAL - ENGAGEMENT	MUS47	MODULAR




COMMON THREAD

BROADLOOM | 12" x 48" PLANK



CMT14  
GOLDEN INTUITION



CMT38  
TEAL HARMONY



CMT47  
SAGE AFFINITY



CMT49  
INDIGO SPIRIT



CMT51  
PEWTER RAPPORT



CMT56  
PLATINUM BLEND



CMT58  
GRAPHITE LINK



CMT75  
MINK ESSENCE



CMT76  
BARK INTEGRATE



CMT77  
OBSIDIAN MELD



CMT98  
PLUM CONCORD

SCAN ME!



Scan to order  
samples or  
check inventory.



COMMON THREAD - OBSIDIAN MELD - DOUBLE HERRINGBONE







PRODUCT DETAILS

Fiber

100% ENCORE® SD ULTIMA® NYLON  
(WITH RECYCLED CONTENT)

Encore SD Ultima is specifically engineered to maximize appearance retention with exceptional color, performance, sustainability and practicality.

FIBER OPTION

ENCORE® 100  
The high recycled content incorporated into Encore 100 nylon provides a reduced environmental impact without compromising quality or color clarity.

- 100% post-industrial (pre-consumer) recycled content
- Full inclusion into the EF Contract’s Flooring Reclamation Program
- Lifetime warranty for stain removal, colorfastness, wear and static
- See sales rep for for availability and price

Standard Backing

NEXUS® MODULAR  
Nexus modular products can be installed in a variety of ways and are performance engineered to be visually appealing. In addition, they are designed to accommodate your long-term flooring budget.

- Contains pre-consumer recycled content and contributes to LEED
- Recyclable through EF Contract’s Flooring Reclamation Program

PREMIERBAC® PLUS BACKING  
PremierBac® Plus is standard on broadloom products and provides superior construction to ensure solid dimensional stability for broadloom carpets.

- Stretch-in or glue-down installation
- Manufactured in an ISO 14001 certified facility
- Contains pre-consumer recycled content and contributes to LEED
- Recyclable through EF Contract’s R4 Carpet Reclamation Program

OPTIONAL BACKING

ADVANCE MODULAR CARPET BACKING™  
is engineered to provide outstanding performance, protection and stability that is required of modular carpet systems.

- PVC-Free
- Contains recycled content and contributes to LEED
- Eligible for landfill diversion through the EF Contract’s Flooring Reclamation Program

Optional

PROSEPT® ANTIMICROBIAL  
SENTIR® ADVANCED ODOR-BLOCKING TECHNOLOGY

Moisture

Are high levels of moisture in your concrete slab causing issues with your project’s floor covering? We can help.

- Nexus Modular Carpet with TileTabs - 99% RH
- Cost-efficient
- Long-term performance
- Straightforward, easy-to-understand Lifetime warranty
- Requires no special floor preparation

Adhesives

COMMERCIALON® PREMIUM MODULAR ADHESIVE  
A high-strength acrylic latex-based carpet adhesive specifically formulated for bonding modular PVC backed carpet to the floor. This premium adhesive is for use with all Nexus Modular Tile products. This adhesive is guaranteed for the life of the installation when used in accordance with the EF Contract Carpet Installation Handbook. Commercialon Premium Modular Adhesive meets the CRI Low-VOC Emission Criteria. Commercialon Premium Modular Adhesive is nontoxic, has ultra-low odor and is antimicrobial in the dry state.

Optional

TILETABS  
High Tack Adhesive Tabs (modular only)

Technologies

PROTEX® SOIL RELEASE  
ProTex is a proprietary soil release technology that is applied and bonded to the pile fiber to impede soiling and to improve cleanability. It is standard on all EF Contract flooring products

Warranty: Installed With TileTabs	Lifetime
Warranty: Installed With Commercialon® Premium Adhesive (non-prorated)	Lifetime
Warranty: Installed With Any Other Adhesive	1 year
Max RH, pH Installed Without Commercialon® Sealer	90% RH, pH 9
Max RH, pH Installed With Commercialon® Premium Sealer	99% RH, pH 11 (TileTabs) — 97% RH, pH 11 (Commercialon)

PRODUCT DETAILS

STYLE	COMMON THREAD   TCMT	COMMON THREAD   CMT
CONSTRUCTION	TEXTURED LOOP	TEXTURED LOOP
FIBER TYPE	100% ENCORE® SD ULTIMA® NYLON (with recycled content)	100% ENCORE® SD ULTIMA® NYLON (with recycled content)
FIBER OPTION	ENCORE® 100	ENCORE® 100
DYE METHOD	SOLUTION DYED	SOLUTION DYED
OUNCE WEIGHT	24 OZ / SQUARE YARD	18 OZ / SQUARE YARD
GAUGE	1/10 IN	1/10 IN
STANDARD BACKING	NEXUS® MODULAR	PREMIERBAC® PLUS
OPTIONAL BACKING	ADVANCE MODULAR	N/A
TOTAL THICKNESS (NOMINAL AVERAGE)	.195 INCHES	.221 INCHES
SIZE	12" W X 48" L	12 FOOT ROLL
PATTERN REPEAT	N/A	N/A
SPECIAL TECHNOLOGY	PROTEX® SOIL RELEASE	PROTEX® SOIL RELEASE
OPTIONAL SPECIAL TECHNOLOGIES	PROSEPT® ANTIMICROBIAL SENTIR® ADVANCED ODOR BLOCKING TREATMENT	PROSEPT® ANTIMICROBIAL SENTIR® ADVANCED ODOR BLOCKING TREATMENT
PHYSICAL TESTING	FLOORING RADIANT PANEL – (CLASS 1)	FLOORING RADIANT PANEL – (CLASS 1)
	PILL TEST – (PASSES)	PILL TEST – (PASSES)
	SMOKE DENSITY – (LESS THAN 450 FLAMING)	SMOKE DENSITY – (LESS THAN 450 FLAMING)
	STATIC GENERATION – (LESS THAN 3.5 KV)	STATIC GENERATION – (LESS THAN 3.5 KV)
WARRANTIES	LIFETIME FIBER PERFORMANCE FOR WEAR	LIFETIME FIBER PERFORMANCE FOR WEAR
	LIFETIME FIBER PERFORMANCE FOR STATIC	LIFETIME FIBER PERFORMANCE FOR STATIC
	LIFETIME STAIN REMOVAL	LIFETIME STAIN REMOVAL
	LIFETIME COLORFASTNESS TO LIGHT AND ATMOSPHERIC CONTAMINANTS	LIFETIME COLORFASTNESS TO LIGHT AND ATMOSPHERIC CONTAMINANTS
	LIFETIME FOR TUFT BIND STRENGTH (EDGE RAVEL, YARN PULLS, ZIPPERING)	10 YEAR FOR TUFT BIND STRENGTH (EDGE RAVEL, YARN PULLS, ZIPPERING)
	LIFETIME AGAINST DELAMINATION LIFETIME DIMENSIONAL STABILITY	10 YEAR AGAINST DELAMINATION

RECOMMENDED INSTALLATION METHODS

ASHLAR

BASKETWEAVE

PARQUET

HERRINGBONE

12' ROLL

To learn more, visit:

EFCONTRACT.COM

©2025 Engineered Floors LLC - This unique design is protected under the U.S. Copyright Act of 1976. Any unauthorized copying or duplication of this design constitutes copyright infringement in violation of federal law.

Due to the unique visual characteristics of modular carpets, pattern repeats and pattern run-off seams may appear more noticeable than in broadloom carpets. Such visual characteristics do not constitute a manufacturing defect, and as such, should be considered when selecting modular carpet and its installation. These photographs are representations of the installation for this modular product. Your modular installation may look different than these photos depending upon individual tile placement, lighting and overall space layout, including furnishings. Final tile placement and the resulting visual is thus the customer’s, and not EF Contract’s, responsibility.





PO Box 2207  
Dalton, Georgia 30722  
U.S.A.

800.451.1250  
[efcontract.com](http://efcontract.com)