
Crosswalk


ROLLS | MODULAR CARPET

QUICKSHIP OPTIONS











24" X 24" | ROLLS







CWK15 | DAPPLE GREY QUICKSHIP



CWK75 | ACORN



CROSSWALK

CWK56 | STEEL QUICKSHIP



CWK55 | LEAD QUICKSHIP



CWK58 | LAMPBLACK



CWK57 | SLATE QUICKSHIP



CWK43 | LARK



CWK46 | COBALT

QS **OPTIONS**



10 business days or less for orders up to 1,500 square yards on standard backing systems.

Samples & Customer Service 800-451-1250





Scan to order samples or check inventory.





Beyond the beauty of individual products, EF Contract's flooring **coordinate** effortlessly across all of our product platforms - modular carpet tile, broadloom, LVT and Kinetex textile composite flooring. This offering enables you to blend a range of designs to create **palettes** that meet the demands of each unique space.

1	CROSSWALK -DAPPLE GREY	CWK15	MODULAR & BROADLOOM
2	CROSSWALK -SLATE	CWK57	MODULAR & BROADLOOM
3	FACET - SUEDE GRAY	EFCFC008	LVT
4	SEDGE - WOODRUFF	SDG74	BROADLOOM
5	INTRIGUE - CHARM	ITR17	KINETEX
6	TIME ZONE - PYTHIAD SILVER	TME55	MODULAR
7	POLARIS - NORTH STAR	PLR59	MODULAR
8	COMMON THREAD - MINK ESSENCE	CMT75	MODULAR & BROADLOOM
9	IMMERSE - DRIFTWOOD	IMM13	MODULAR & BROADLOOM
10	HEATH - SNOW IN SUMMER	HTH52	BROADLOOM
11	VESTIGE - BLACKENED	VES59	KINETEX



Fiber

TERAPLEX® SD

EF Contract's TeraPlex® SD, produced by the world's most advanced carpet fiber extrusion process, is an advanced generation continuous filament PET fiber engineered for today's commercial flooring needs. It was created by leading polymer scientists and utilizes the most advanced PET resin to create carpet fiber with vibrant color, superior fade resistance, and longterm performance.

- · Fiber thickness is 40% greater than conventional PET fiber for excellent crush resistance
- · Higher purity and high molecular weight polymer resists abrasion and staining
- · Solution dyed for superior colorfastness

Moisture

Are high levels of moisture in your concrete slab causing issues with your project's floor covering? We can help.

- · Nexus Modular Carpet with TileTabs 99% RH
- · Cost-efficient
- · Long-term performance
- · Straightforward, easy-to-understand Lifetime warranty
- · Requires no special floor preparation

RH/pH Warranty

Warranty: Installed With TileTabs	Lifetime
Warranty: Installed With Commercialon® Premium Adhesive (non-prorated)	Lifetime
Warranty: Installed With Any Other Adhesive	1 year
Max RH, pH Installed Without Commercialon® Sealer	90% RH, pH 9
Max RH, pH Installed With Commercialon® Premium Sealer	99% RH, pH 11 (TileTabs) — 97% RH, pH 11 (Commercialon)







Backings

NEXUS® MODULAR

Nexus modular products can be installed in a variety of ways and are performance engineered to be visually appealing. In addition, they are designed to accommodate your long-term flooring budget.

- · Contains pre-consumer recycled content and contributes to LEED
- · Recyclable through EF Contract's R4 Carpet Reclamation Program

PREMIERBAC® PLUS BACKING

PremierBac® Plus is standard on broadloom products and provides superior construction to ensure solid dimensional stability for broadloom carpets.

- · Stretch-in or glue-down installation
- · Manufactured in an ISO 14001 certified facility
- · Contains pre-consumer recycled content and contributes to LEED
- · Recyclable through EF Contract's R4 Carpet Reclamation Program

Adhesives

COMMERCIALON® PREMIUM MODULAR ADHESIVE A high-strength acrylic latex-based carpet adhesive specifically formulated for bonding modular PVCbacked carpet to the floor. This premium adhesive is for use with all Nexus Modular Tile products. This adhesive is guaranteed for the life of the installation when used in accordance with the EF Contract Carpet Installation Handbook. Commercialon Premium Modular Adhesive meets the CRI Low-VOC Emission Criteria. Commercialon Premium Modular Adhesive is nontoxic, has ultra-low odor and is antimicrobial in the dry state.

COMMERCIALON® PREMIUM CARPET ADHESIVE Formulated for the most demanding interior carpet installations. It forms a powerful bond with stiff and heavy backed commercial carpets directly over approved substrates. It is quick setting, features antimicrobial protection and can be removed easily. This solvent free adhesive is also low in odor, meeting the low VOC emission criteria of the CRI Green Label Plus Indoor Air Quality. Commercialon Premium Adhesive is for use with broadloom backing systems.

High Tack Adhesive Tabs (modular only)

Optional Special Technologies

PROSEPT® ANTIMICROBIAL

SENTIR® ADVANCED ODOR-BLOCKING **TECHNOLOGY**

STYLE	CROSSWALK TCWK	CROSSWALK CWK	
CONSTRUCTION	PATTERNED SCROLL	PATTERNED SCROLL	
FIBER TYPE	TERAPLEX® SD PET	TERAPLEX® SD PET	
DYE METHOD	SOLUTION DYED	SOLUTION DYED	
OUNCE WEIGHT	20 OZ / SQUARE YARD	20 OZ / SQUARE YARD	
GAUGE	1/12 IN	1/12 IN	
BACKING	NEXUS® MODULAR	PREMIERBAC® PLUS	
FINISHED PILE THICKNESS	0.071 INCHES	0.081 INCHES	
DENSITY	10,141	8,889	
SIZE	24" W X 24" L	12 FOOT ROLL	
PATTERN REPEAT	N/A	N/A	
TOTAL THICKNESS	0.245 INCHES	0.273 INCHES	
SPECIAL TECHNOLOGY	PROTEX® SOIL RELEASE	PROTEX® SOIL RELEASE	
OPTIONAL SPECIAL	PROSEPT® ANTIMICROBIAL	PROSEPT® ANTIMICROBIAL	
TECHNOLOGIES	SENTIR® ADVANCED ODOR BLOCKING TREATMENT	SENTIR® ADVANCED ODOR BLOCKING TREATMENT	
	FLOORING RADIANT PANEL - (CLASS 1)	FLOORING RADIANT PANEL - (CLASS 1)	
PHYSICAL TESTING	PILL TEST - (PASSES)	PILL TEST - (PASSES)	
PHISICAL TESTING	SMOKE DENSITY - (LESS THAN 450 FLAMING)	SMOKE DENSITY - (LESS THAN 450 FLAMING)	
	STATIC GENERATION - (LESS THAN 3.5 KV)	STATIC GENERATION - (LESS THAN 3.5 KV)	
	LIFETIME FIBER PERFORMANCE FOR WEAR (FIBER WILL LOSE NO MORE THAN 10% OF ITS FACE FIBER BY WEIGHT)	LIFETIME FIBER PERFORMANCE FOR WEAR (FIBER WILL LOSE NO MORE THAN 10% OF ITS FACE FIBER BY WEIGHT)	
FIBER	LIFETIME FIBER PERFORMANCE FOR STATIC	LIFETIME FIBER PERFORMANCE FOR STATIC	
WARRANTY	LIFETIME STAIN REMOVAL	LIFETIME STAIN REMOVAL	
	LIFETIME COLORFASTNESS TO LIGHT AND ATMOSPHERIC CONTAMINANTS	LIFETIME COLORFASTNESS TO LIGHT AND ATMOSPHERIC CONTAMINANTS	
BACKING	LIFETIME FOR TUFT BIND STRENGTH (EDGE RAVEL, YARN PULLS, ZIPPERING)	10 YEAR FOR TUFT BIND STRENGTH (EDGE RAVEL, YARN PULLS, ZIPPERING) 10 YEAR AGAINST DELAMINATION	
WARRANTY	LIFETIME AGAINST DELAMINATION		
	LIFETIME DIMENSIONAL STABILITY		
RECOMMENDED	$\uparrow \rightarrow \uparrow \uparrow$		

INSTALLATION METHODS



 \uparrow \uparrow \uparrow

 \uparrow

BRICK







MONOLITHIC



To learn more, visit:

EFCONTRACTFLOORING.COM

©2021 Engineered Floors LLC - This unique design is protected under the U.S. Copyright Act of 1976. Any unauthorized copying or duplication of this design constitutes copyright infringement in violation of federal law. Due to the unique visual characteristics of modular carpets, pattern repeats and pattern run-off seams may appear more noticeable than in broadloom carpets. Such visual characteristics do not constitute a manufacturing defect, and as such, should be considered when selecting modular carpet and its installation. These photographs are representations of the installation for this modular product. Your modular installation may look different than these photos depending upon individual tile placement, lighting and overall space layout, including furnishings. Final tile placement and the resulting visual is thus the customer's, and not EF Contract's, responsibility.

