

Playbook

LVT





Playbook

Our LVT brings the beauty of a wood floor to commercial spaces, without the headaches. Our superior topcoat finish provides years of performance with no need to refinish. Playbook was developed to highlight grain patterning and ensure perfect coordination during design and installation.





7" X 48"

PLAYBOOK



EFCPB 001 | STRAW




EFCPB 002 | TWIG




EFCPB 003 | SUNGLOW



EFCPB 004 | AUTUMN LEAF




EFCPB 005 | FOSSIL



EFCPB 006 | BARKTONE




EFCPB 007 | COCOA



EFCPB 008 | SUEDE GRAY



EFCPB 009 | CLOUD



EFCPB 010 | SHADOW



Scan to order
samples or
check inventory.



COORDINATING PALETTES

Beyond the beauty of individual products, EF Contract’s flooring **coordinate effortlessly** across all of our product platforms - modular carpet tile, broadloom, LVT and Kinetex textile composite flooring. This offering enables you to blend a range of designs to create **palettes** that meet the demands of each unique space.

1	ALFRESCO - GREY BOBBIN	ALF55	MODULAR
2	SURFACE - LAYER	SUR28	KINETEX
3	MELANGE - GRIFFIN	EFCM2002	LVT
4	INTERCHANGEABLE - CAPABLE	INT12	MODULAR
5	SOUND - ACCENT	SOU15	KINETEX
6	BATISTE MODERNE - ARGENTE	BTM52	MODULAR + BROADLOOM
7	PLAYBOOK - FOSSIL	EFCPB005	LVT
8	CROSSWALK - ACORN	CWK75	MODULAR + BROADLOOM
9	SURFACE - OUTWARD	SUR15	KINETEX
10	VEIL - ENVELOPE	VLT15	MODULAR

PRODUCT DETAILS

Sustainably Sound

EF Contract believes true sustainability requires full attention to the potential impacts of every aspect of our business. In accordance with our mission of waste reduction, all EF Contract LVT products are 100% recyclable.




You can rest assured that health is also a top priority and all EF Contract LVT products are FloorScore Certified.

©2021 Engineered Floors LLC - This unique design is protected under the U.S. Copyright Act of 1976. Any unauthorized copying or duplication of this design constitutes copyright infringement in violation of federal law.

These photographs are representations of the installation for this modular product. Your modular installation may look different than these photos depending upon individual tile placement, lighting, and overall space layout, including furnishings. Final tile placement and the resulting visual is thus the customer’s, and not EF Contract’s responsibility.

To learn more, visit:

EFCONTRACTFLOORING.COM



- 1 Protective UV Cured Urethane With Ceramic Bead And Antimicrobial
- 2 20mil Wear Layer
- 3 High Definition Print Film
- 4 Impact Resistant Core Layer
- 5 Foundational Base Layer

PLAYBOOK PRODUCT SPECIFICATIONS

STYLE	PLAYBOOK
THICKNESS	5MM
WEAR LAYER	20MIL
GLASS FIBER	YES
FINISH/COATING	UV URETHANE COATING W/ CERAMIC ADDITIVE
NOMINAL DIMENSIONS	7" X 48"
ACTUAL DIMENSIONS	7" (180MM) X 48" (1200MM)
PATTERN REPEAT	RANDOM WOOD GRAIN EMBOSS
MICRO-BEVELED	NO
CLASS / ASTM F1700	CLASS III PRINTED FILM (EMBOSSSED)
BACKING CLASS	COMMERCIAL GRADE
GLOSS LEVEL (IF KNOWN)	7 - 9 (MATTE)
TRAFFIC USE	HEAVY COMMERCIAL
ADDED ANTIMICROBIAL	YES
FLOORSCORE CERTIFIED	YES
BACKSTAMP INFO	MACHINE DIRECTIONAL ARROW

PERFORMANCE

SIZE AND TOLERANCE	ASTM F2055	PASSES
THICKNESS	ASTM F386	PASSES
SQUARENESS	ASTM2055	PASSES
RESIDUAL INDENTATION	ASTM F1914	PASSES
FLEXIBILITY	ASTM F137	PASSES
DIMENSIONAL STABILITY	ASTM F2199	0.0038 IN. / LIN. FT.
CHEMICAL RESISTANCE	ASTM F925	PASSES
RESISTANCE TO HEAT	ASTM F1514	PASSES
RESISTANCE TO LIGHT	ASTM F1515	PASSES
CRITICAL RADIANT FLUX	ASTM E648	PASSES
OPTICAL SMOKE DENSITY	ASTM E662	PASSES
SLIP RESISTANCE	ASTM C1028	PASSES
STATIC LOAD	ASTM F970	750 PSI

ENVIRONMENTAL SPECIFICATIONS & TESTS

INDOOR AIR QUALITY	FLOORSCORE® CERTIFIED
LEED V4	CONTRIBUTES TO IAQ: LOW EMITTING MATERIALS
END OF LIFE	100% RECYCLABLE

TECHNICAL INFORMATION

PRODUCT WARRANTY	10 YR COMMERCIAL WARRANTY / 20 YEAR RESIDENTIAL
REQUIRED ADHESIVE	LVT COMMERCIALON
INSTALLATION METHOD	LOOSE LAY WITH PERIMTER GLUE, FULLY ADHERED



1/3 DROP



ASHLAR



HERRINGBONE



PO Box 2207
Dalton, Georgia 30722
U.S.A.

800.451.1250
efcontractflooring.com