

QUICKSHIP

Playlist Collection

Shuffle
Remaster
Remix

BROADLOOM





Playlist Collection

Who hasn't put together their perfect playlist- that compilation of all-time favorites of various genres and styles. Fast-forward to the present, and this curated collection has become the classic go-to – a mainstay that is the backdrop for your work and lifestyle.

The Playlist Collection offers three broadloom selections to keep on repeat:


Remix- a new take on a tried and true texture.

Remaster – perfects a small-scale textured classic.

Shuffle – Undulating texture and tone mix it up for interest.

Seven coordinated neutral palettes feature EF Contract's solution dyed yarns of TeraPlex® and Encore® SD Ultima® nylon to keep the whole collection fresh for years to come.







ROLLS




SHU76 | COFFEE



SHU15 | PEBBLE



SHU47 | ANILINE



SHU54 | SILVER GREY



SHU58 | CHARCOAL



SHU56 | DUSK



SHU55 | CINDER

SHUFFLE



10 business days or less for orders up to 1,500 square yards on standard backing systems.


Samples & Customer Service
800-451-1250

SCAN ME!



Scan to order samples or check inventory.

ROLLS




REM76 | COFFEE




REM15 | PEBBLE



REM47 | ANILINE



REM54 | SILVER GREY



REM58 | CHARCOAL



REM56 | DUSK



REM55 | CINDER

REMASTER



10 business days or less for orders
up to 1,500 square yards on
standard backing systems.

Samples & Customer Service
800-451-1250

SCAN ME!



Scan to order
samples or
check inventory.






ROLLS




RMX76 | COFFEE




RMX15 | PEBBLE



RMX47 | ANILINE




RMX54 | SILVER GREY



RMX58 | CHARCOAL



RMX56 | DUSK



RMX55 | CINDER

REMIX



10 business days or less for orders
up to 1,500 square yards on
standard backing systems.

Samples & Customer Service
800-451-1250

SCAN ME!



Scan to order
samples or
check inventory.



COORDINATING PALETTES

1	TIME ZONE - JET LAG	TME59	MODULAR
2	CROSSWALK - LAMPBLACK	CWK58	MODULAR + BROADLOOM
3	FACET - SUEDE GREY	008	LVT
4	FREESTYLE - BLACKSTONE	FRS59	MODULAR
5	TERRAIN PARK - BLACKSTONE	TER59	MODULAR
6	TUCK - CARBON PAPER	TCK59	MODULAR
7	REMASTER - CHARCOAL	REM58	BROADLOOM
8	MELANGE - URBAN	004	LVT
9	INTRIGUE - ENCHANT	ITR58	KINETEX
10	POLARIS - NORTH STAR	PLR59	MODULAR
11	IMPRINT - INK	IMP59	KINETEX



COORDINATING PALETTES

1	TIME ZONE - SOLAR LINEN	TME32	MODULAR
2	ARTISAN - TAUPE	ART75	MODULAR
3	FACET - FOSSIL	O05	LVT
4	SHUFFLE - PEBBLE	SHU15	BROADLOOM
5	CROSSWALK - ACORN	CWK75	MODULAR + BROADLOOM
6	FREESTYLE - ADOBE	FRS73	MODULAR
7	TUCK - CONSTRUCTION PAPER	TCK23	MODULAR
8	REMASTER - PEBBLE	REM15	BROADLOOM
9	MELANGE - URBAN	O04	LVT
10	INTRIGUE - ENRAPTURE	ITR12	KINETEX
11	POLARIS - STARGAZE	PLR78	MODULAR
12	IMPRINT - UMBRA	IMP16	KINETEX

PRODUCT DETAILS

Fiber

TERAPLEX® SD WITH ENCORE® SD NYLON

The hybrid fiber system of Playlist Collection combines the best of TeraPlex® SD and Encore SD. TeraPlex® SD is engineered to maximize appearance retention with exceptional color, performance, sustainability and practicality. TeraPlex® SD is an advanced GEN III continuous filament PET fiber for today's commercial flooring. Introduced after 30 years of intensive R&D by leading polymer scientists, it utilizes the best PET resin to create a resilient carpet fiber with exceptional clarity and stain-resistance properties. Encore® SD is specifically engineered to maximize appearance retention with exceptional color, performance, sustainability and practicality.

Backings

PREMIERBAC® PLUS BACKING

PremierBac® Plus is standard on broadloom products and provides superior construction to ensure solid dimensional stability for broadloom carpets.

- Stretch-in or glue-down installation
- Manufactured in an ISO 14001 certified facility
- Contains pre-consumer recycled content and contributes to LEED
- Recyclable through the EF Contract R4 Carpet Reclamation Program

Adhesives

COMMERCIALON® PREMIUM CARPET ADHESIVE

Formulated for the most demanding interior carpet installations. It forms a powerful bond with stiff and heavy backed commercial carpets directly over approved substrates. It is quick setting, features antimicrobial protection and can be removed easily. This solvent free adhesive is also low in odor, meeting the low VOC emission criteria of the CRI Green Label Plus Indoor Air Quality. Commercialon Premium Adhesive is for use with broadloom backing systems.

Technologies

PROTEX® SOIL RELEASE

ProTex is a proprietary soil release technology that is applied and bonded to the pile fiber to impede soiling and to improve cleanability. It is standard on all EF Contract flooring products.

Optional

PROSEPT® ANTIMICROBIAL

ProSept is a safe braod spectrum antimicrobial that protects the carpet from bacterial and fungal growth.

SENTIR® ADVANCED ODOR-BLOCKING TECHNOLOGY

Sentir is a breakthrough odor-blocking technology for EF Contract broadloom and modular commercial carpet. This self-renewing treatment is designed to control or eliminate offensive odors associated with indoor environments and is particularly effective on odor-bearing spills.



©2022 Engineered Floors LLC - This unique design is protected under the U.S. Copyright Act of 1976. Any unauthorized copying or duplication of this design constitutes copyright infringement in violation of federal law.

Due to the unique visual characteristics of modular carpets, pattern repeats and pattern run-off seams may appear more noticeable than in broadloom carpets. Such visual characteristics do not constitute a manufacturing defect, and as such, should be considered when selecting modular carpet and its installation. These photographs are representations of the installation for this modular product. Your modular installation may look different than these photos depending upon individual tile placement, lighting and overall space layout, including furnishings. Final tile placement and the resulting visual is thus the customer's, and not EF Contract's, responsibility.

To learn more, visit:

EFCONTRACTFLOORING.COM

PRODUCT DETAILS

STYLE	SHUFFLE SHU	REMASTER REM	REMIX RMX
CONSTRUCTION	TEXTURED LOOP PATTERN	TEXTURED LOOP PATTERN	TEXTURED LOOP
FIBER TYPE	TERAPLEX® SD WITH ENCORE® SD NYLON	TERAPLEX® SD WITH ENCORE® SD NYLON	TERAPLEX® SD WITH ENCORE® SD NYLON
DYE METHOD	SOLUTION DYED	SOLUTION DYED	SOLUTION DYED
OUNCE WEIGHT	24 OZ / SQUARE YARD	24 OZ / SQUARE YARD	22 OZ / SQUARE YARD
GAUGE	1/10 IN	1/10 IN	1/8 IN
BACKING	PREMIERBAC® PLUS	PREMIERBAC® PLUS	PREMIERBAC® PLUS
DENSITY	5,468	5,434	8,250
FINISHED PILE THICKNESS	0.158 INCHES	0.159 INCHES	0.096 INCHES
SIZE	12 FOOT ROLL	12 FOOT ROLL	12 FOOT ROLL
PATTERN REPEAT	.96"W X .60"L	.20"W X .75"L	N/A
TOTAL THICKNESS	0.328 INCHES	0.316 INCHES	0.261 INCHES
SPECIAL TECHNOLOGY	PROTEX® SOIL RELEASE	PROTEX® SOIL RELEASE	PROTEX® SOIL RELEASE
OPTIONAL SPECIAL TECHNOLOGIES	PROSEPT® ANTIMICROBIAL SENTIR® ADVANCED ODOR BLOCKING TREATMENT	PROSEPT® ANTIMICROBIAL SENTIR® ADVANCED ODOR BLOCKING TREATMENT	PROSEPT® ANTIMICROBIAL SENTIR® ADVANCED ODOR BLOCKING TREATMENT
PHYSICAL TESTING	FLOORING RADIANT PANEL – (CLASS 1) PILL TEST – (PASSES) SMOKE DENSITY – (LESS THAN 450 FLAMING) STATIC GENERATION – (LESS THAN 3.5 KV)	FLOORING RADIANT PANEL – (CLASS 1) PILL TEST – (PASSES) SMOKE DENSITY – (LESS THAN 450 FLAMING) STATIC GENERATION – (LESS THAN 3.5 KV)	FLOORING RADIANT PANEL – (CLASS 1) PILL TEST – (PASSES) SMOKE DENSITY – (LESS THAN 450 FLAMING) STATIC GENERATION – (LESS THAN 3.5 KV)
FIBER WARRANTY	10 YEAR WEAR WARRANTY 10 YEAR STATIC WARRANTY LIFETIME STAIN REMOVAL LIFETIME COLORFASTNESSES TO LIGHT AND ATMOSPHERIC CONDITIONS	10 YEAR WEAR WARRANTY 10 YEAR STATIC WARRANTY LIFETIME STAIN REMOVAL LIFETIME COLORFASTNESSES TO LIGHT AND ATMOSPHERIC CONDITIONS	10 YEAR WEAR WARRANTY 10 YEAR STATIC WARRANTY LIFETIME STAIN REMOVAL LIFETIME COLORFASTNESSES TO LIGHT AND ATMOSPHERIC CONDITIONS
BACKING WARRANTY	10 YEAR FOR TUFT BIND STRENGTH (EDGE RAVEL, YARN PULLS, ZIPPERING) 10 YEAR AGAINST DELAMINATION	10 YEAR FOR TUFT BIND STRENGTH (EDGE RAVEL, YARN PULLS, ZIPPERING) 10 YEAR AGAINST DELAMINATION	10 YEAR FOR TUFT BIND STRENGTH (EDGE RAVEL, YARN PULLS, ZIPPERING) 10 YEAR AGAINST DELAMINATION

RECOMMENDED INSTALLATION METHODS



12' ROLL



12' ROLL



12' ROLL



PO Box 2207
Dalton, Georgia 30722
U.S.A.

800.451.1250
efcontractflooring.com
JX0222M07