

Plateau

LVT





Plateau

Along the cliffs and inlands of the coastline where sea meets stone and tides wash ashore, a wonderland of inspiration can be found. Water and erosion reveal age-tinted texture and color— a rippling motif of unique shadowed striations that flourish and fade. This was the inspiration for our latest LVT introduction, Plateau. Available in 18" x 36" planks, in five earth tone-on-tone colorations, Plateau is the perfect foundation for an organic modern interior design.





18" X 36"


PLATEAU




EFCP2 003 | UMBRA
(AVAILABLE IN EFCP5 003)



EFCP2 001 | ACIER
(AVAILABLE IN EFCP5 001)



EFCP2 005 | EARTH
(AVAILABLE IN EFCP5 005)



EFCP2 004 | ZINC
(AVAILABLE IN EFCP5 004)




EFCP2 002 | TERRA
(AVAILABLE IN EFCP5 002)

SCAN ME!



Scan to order
samples or
check inventory.



COORDINATING PALETTES

Beyond the beauty of individual products, EF Contract’s flooring **coordinate effortlessly** across all of our product platforms - modular carpet tile, broadloom, LVT and Kinetex textile composite flooring. This offering enables you to blend a range of designs to create **palettes** that meet the demands of each unique space.

1	LINE - FUZZY	LNE75	MODULAR
2	TUCK - BUTCHER PAPER	TCK76	MODULAR
3	ALLIANCE - SAFFRON	ALL14	MODULAR
4	PAINTED DESERT - CLAY	PAI14	MODULAR + BROADLOOM
5	IMPRINT - ACORN	IMP77	KINETEX
6	PLATEAU - UMBRA	O03	LVT
7	ALFRESCO - GOLD THREAD	ALF25	MODULAR
8	TIME ZONE - STANDARD TAN	TME78	MODULAR
9	CROSSING - TATAMI	CSS10	MODULAR + BROADLOOM
10	TERRAIN PARK - ADOBE	TER73	MODULAR
11	CROSSWALK - ACORN	CWK75	MODULAR + BROADLOOM

PRODUCT DETAILS

Sustainably Sound

EF Contract believes true sustainability requires full attention to the potential impacts of every aspect of our business. In accordance with our mission of waste reduction, all EF Contract LVT products are 100% recyclable.




You can rest assured that health is also a top priority and all EF Contract LVT products are FloorScore Certified.

©2022 Engineered Floors LLC - This unique design is protected under the U.S. Copyright Act of 1976. Any unauthorized copying or duplication of this design constitutes copyright infringement in violation of federal law.

These photographs are representations of the installation for this modular product. Your modular installation may look different than these photos depending upon individual tile placement, lighting, and overall space layout, including furnishings. Final tile placement and the resulting visual is thus the customer's, and not EF Contract's responsibility.

To learn more, visit:

EFCONTRACTFLOORING.COM



- 1 Protective UV Cured Urethane With Ceramic Bead And Antimicrobial
- 2 20mil Wear Layer
- 3 High Definition Print Film
- 4 Impact Resistant Core Layer
- 5 Foundational Base Layer

PLATEAU PRODUCT SPECIFICATIONS

STYLE	PLATEAU EFCP2	PLATEAU EFCP5
THICKNESS	2.5MM	5MM
WEAR LAYER	20MIL	20MIL
FINISH/COATING	ENHANCED UV URETHANE W/ CERAMIC MICRO BEAD	ENHANCED UV URETHANE W/ CERAMIC MICRO BEAD
PATTERN REPEAT	RANDOM	RANDOM
NOMINAL DIMENSIONS (INCHES)	18" X 36"	18" X 36"
STANDARD ADHESIVE	COMMERCIALON PREMIUM MODULAR AND LVT ADHESIVE	COMMERCIALON PREMIUM MODULAR AND LVT ADHESIVE
BACKING CLASS	COMMERCIAL GRADE	COMMERCIAL GRADE
COMMERCIAL TRAFFIC	HEAVY COMMERCIAL	HEAVY COMMERCIAL
STANDARD WARRANTIES	10 YEAR LVT	10 YEAR LVT
PACKAGING		
SQ.FT. PER CARTON	4.5/54	4.5/27
PIECES PER BOX	12	6
BOXES PER PALLET	40	40
SPECIAL TECHNOLOGIES		
ANTIMICROBIAL	YES	YES
ENVIRONMENTAL SPECIFICATIONS & TESTS		
INDOOR AIR QUALITY	FLOORSCORE® CERTIFIED	FLOORSCORE® CERTIFIED
LEED V4	CONTRIBUTES TO IAQ: LOW EMITTING MATERIALS	CONTRIBUTES TO IAQ: LOW EMITTING MATERIALS
END OF LIFE	100% RECYCLABLE	100% RECYCLABLE
CLASS / ASTM F1700	CLASS III PRINTED FILM VINYL PLANK - TYPE B (EMBOSSSED)	CLASS III PRINTED FILM VINYL PLANK - TYPE B (EMBOSSSED)
FLOORING RADIANT PANEL	CLASS 1	CLASS 1
ADA COMPLIANCE	COMPLIANT FOR ACCESSIBLE ROUTES	COMPLIANT FOR ACCESSIBLE ROUTES
PERFORMANCE		
SIZE AND TOLERANCE	ASTM F2055 - PASSES	ASTM F2055 - PASSES
THICKNESS	ASTM F386 - PASSES	ASTM F386 - PASSES
RESIDUAL INDENTATION	ASTM F1914 - PASSES	ASTM F1914 - PASSES
FLEXIBILITY	ASTM F137 - PASSES	ASTM F137 - PASSES
DIMENSIONAL STABILITY	ASTM F2199 - PASSES	ASTM F2199 - PASSES
CHEMICAL RESISTANCE	ASTM F925 - PASSES	ASTM F925 - PASSES
RESISTANCE TO HEAT	ASTM F1514 - PASSES	ASTM F1514 - PASSES
RESISTANCE TO LIGHT	ASTM F1515 - PASSES	ASTM F1515 - PASSES
CRITICAL RADIANT FLUX	ASTM E648 - CLASS 1	ASTM E648 - CLASS 1
OPTICAL SMOKE DENSITY	ASTM E662 -PASSES	ASTM E662 - PASSES
SLIP RESISTANCE	ASTM C1028 - PASSES	ASTM C1028 - PASSES
STATIC LOAD	ASTM F970 - PASSES	ASTM F970 - PASSES

RECOMMENDED INSTALLATION METHODS



1/3 DROP



ASHLAR



HERRINGBONE



PO Box 2207
Dalton, Georgia 30722
U.S.A.

800.451.1250
efcontractflooring.com
AX6222M08