

# Woodlands

LVT






## Woodlands

Stirred by the dark and light of deep forests – an atmosphere both calm and peaceful – Woodlands sparks a wellspring of spiritual energy. Noble and stately oaks, hickories and elms are reimagined through EF Contract's new collection of LVT that offers a natural element for thoughtful interiors. Beautiful knots and grainy dark stains of deep ebony, teak, russet and soft umbers create a rich, organic, and versatile design statement.





7" X 48"

WOODLANDS



WOODLANDS | EFCWL001  
IRONWOOD



WOODLANDS | EFCWL002  
SEQUOIA



WOODLANDS | EFCWL003  
OAKWOOD



WOODLANDS | EFCWL004  
BRIARWOOD



WOODLANDS | EFCWL005  
NORTHERN BIRCH



WOODLANDS | EFCWL006  
EBONY



WOODLANDS | EFCWL007  
DANISH TEAK



WOODLANDS | EFCWL008  
ACACIA



WOODLANDS | EFCWL009  
SILVER ASH



WOODLANDS | EFCWL010  
MOCHA

SCAN ME!



Scan to order  
samples or  
check inventory.



## COORDINATING PALETTES

Beyond the beauty of individual products, EF Contract's flooring **coordinate effortlessly** with each other. This offering enables you to blend a range of designs to create **palettes** that meet the demands of each unique space.

1	LIAISON - BEELINE	LSN26	MODULAR
2	TERRAIN PARK - EARTH	TER76	MODULAR
3	ARTISAN - BERYL	ART38	MODULAR
4	IMPRINT - INDIGO	IMP48	KINETEX
5	IMMERSE - SQUID	IMM45	MODULAR
6	WOODLANDS - SEQUOIA	EFCWL002	LVT
7	INTRIGUE - CAPTIVATE	ITR25	KINETEX

PRODUCT DETAILS

Sustainably Sound

EF Contract believes true sustainability requires full attention to the potential impacts of every aspect of our business. In accordance with our mission of waste reduction, all EF Contract LVT products are 100% recyclable.



You can rest assured that health is also a top priority and all EF Contract LVT products are FloorScore Certified.

©2020 Engineered Floors LLC - This unique design is protected under the U.S. Copyright Act of 1976. Any unauthorized copying or duplication of this design constitutes copyright infringement in violation of federal law.

These photographs are representations of the installation for this modular product. Your modular installation may look different than these photos depending upon individual tile placement, lighting, and overall space layout, including furnishings. Final tile placement and the resulting visual is thus the customer’s, and not EF Contract’s responsibility.

To learn more, visit:


EFCONTRACTFLOORING.COM

ENVIRONMENTAL

INDOOR AIR QUALITY	FLOORSCORE® CERTIFIED
LEED V4	CONTRIBUTES TO IAQ: LOW EMITTING MATERIALS
END OF LIFE	100% RECYCLABLE

TECHNICAL INFORMATION

PRODUCT WARRANTY	10 YR COMMERCIAL WARRANTY
REQUIRED ADHESIVE	COMMERCIALON PREMIUM MODULAR AND LVT ADHESIVE
INSTALLATION METHOD	FULL SPREAD



- 1 Protective UV Cured Urethane With Ceramic Bead And Antimicrobial
- 2 20mil Wear Layer
- 3 High Definition Print Film
- 4 Impact Resistant Core Layer
- 5 Foundational Base Layer

STYLE	WOODLANDS   EFCWL
THICKNESS	2.5MM
WEAR LAYER	20MIL
FINISH/COATING	ENHANCED UV URETHANE W/ CERAMIC MICRO BEAD
NOMINAL DIMENSIONS (INCHES)	7" X 48"
PATTERN REPEAT	RANDOM WOOD
MICRO-BEVELED	YES
ANTIMICROBIAL	YES
CLASS/ASTM F1700	CLASS III PRINTED FILM VINYL PLANK TYPE B (EMBOSSED)
BACKING CLASS	COMMERCIAL GRADE
GLOSS LEVEL	MATTE FINISH
COMMERCIAL TRAFFIC	HEAVY COMMERCIAL
FLOORSCORE CERTIFIED (Y/N)	YES

PERFORMANCE

SIZE AND TOLERANCE	ASTM F2055	PASSES
THICKNESS	ASTM F386	PASSES MAX. 0.010 IN.
SQUARENESS	ASTM F2055	PASSES
RESIDUAL INDENTATION	ASTM F1914	PASSES
FLEXIBILITY	ASTM F137	PASSES
DIMENSIONAL STABILITY	ASTM F2199	PASSES
CHEMICAL RESISTANCE	ASTM F925	PASSES
RESISTANCE TO HEAT	ASTM F1514	PASSES
RESISTANCE TO LIGHT	ASTM F1515	PASSES
CRITICAL RADIANT FLUX	ASTM E648	CLASS 1 (< 0.45 W/CM2)
OPTICAL SMOKE DENSITY	ASTM E662	PASSES < 450
SLIP RESISTANCE	ASTM C1028	PASSES ADA COMPLIANT (> 0.50)
STATIC LOAD	ASTM F970	PASSES

PACKAGING

SQUARE FEET PER PLANK/TILE	2.33
SQUARE FEET PER CARTON	42
WEIGHT PER PLANK/TILE (LBS/PLANK)	1.96 (LBS.)
WEIGHT PER CARTON	35.30 (LBS)
PIECES PER BOX	18
BOXES PER PALLET	50

INSTALLATION



1/3 DROP



ASHLAR



HERRINGBONE



PO Box 2207  
Dalton, Georgia 30722  
U.S.A.

800.451.1250  
[efcontractflooring.com](http://efcontractflooring.com)