
Fragments


MODULAR CARPET

QUICKSHIP OPTIONS










Freements Understated and artful, Fragments is inspired by pottery that uses crackle glaze as a decorative feature. A mid-to-large geometric pattern accented with a slight feathering texture that creates subtle shadows across the floor. Available in a 24" x 24" tile with four colors available as quickship.



24" X 24" MODULAR

FRAGMENTS




FRG52 | CINDER QUICKSHIP



FRG84 | RED TRACE



FRG24 | GOLD FLAKE



FRG11 | ICE CHIP



FRG51 | CRACKED CONCRETE FRG54 | GREY WEDGE



QUICKSHIP



FRG59 | CHARCOAL BIT QUICKSHIP



FRG47 | BLUE TINGE QUICKSHIP



FRG38 | TEAL SHARD

QS **OPTIONS**



10 business days or less for orders up to 1,500 square yards on standard backing systems.

Samples & Customer Service 800-451-1250





Scan to order samples or check inventory.



COORDINATING PALETTE

Beyond the beauty of individual products, EF Contract's flooring **coordinate** effortlessly across all of our product platforms - modular carpet tile, broadloom, LVT and Kinetex textile composite flooring. This offering enables you to blend a range of designs to create **palettes** that meet the demands of each unique space.

1	CROSSWALK - DRIFTWOOD	CWK12	MODULAR & BROADLOOM
2	PAINTED HILLS - CLAY	PHL14	BROADLOOM
3	ALLIANCE - FAWN	ALL53	MODULAR
4	FRAGMENTS - GOLD FLAKE	FRG24	MODULAR
5	FRAGMENTS - CRACKED CONCRETE	FRG51	MODULAR
6	LINE - DOODLE	LNE59	MODULAR
7	DART - FLY	DAR77	KINETEX
8	PAINTED DESERT - SANDSTONE	PAI16	MODULAR & BROADLOOM
9	PLATEAU - TERRA	002	LVT
10	VESTIGE - ASHEN	VES14	KINETEX
11	WOODLANDS - DANISH TEAK	007	LVT

Fiber

ENCORE® SD ULTIMA NYLON (WITH RECYCLED CONTENT)

Specifically engineered to maximize appearance retention with exceptional color, performance, sustainability and practicality.

Moisture

Are high levels of moisture in your concrete slab causing issues with your project's floor covering? We can help.

- · Nexus Modular Carpet with TileTabs 99% RH
- · Cost-efficient

10

- · Long-term performance
- · Straightforward, easy-to-understand Lifetime warranty
- · Requires no special floor preparation

RH/pH Warranty

Warranty: Installed With TileTabs	Lifetime	
Warranty: Installed With Commercialon® Premium Adhesive (non-prorated)	Lifetime	
Warranty: Installed With Any Other Adhesive	1 year	
Max RH, pH Installed Without Commercialon® Sealer	90% RH, pH 9	
Max RH, pH Installed With Commercialon® Premium Sealer	99% RH, pH 11 (TileTabs) — 97% RH, pH 11 (Commercialon)	

Backings

NEXUS® MODULAR

Nexus modular products can be installed in a variety of ways and are performance engineered to be visually appealing. In addition, they are designed to accommodate your long-term flooring budget.

- · Contains pre-consumer recycled content and contributes to LEED
- · Recyclable through EF Contract's R4 Carpet Reclamation Program

Adhesives

COMMERCIALON® PREMIUM MODULAR ADHESIVE A high-strength acrylic latex-based carpet adhesive specifically formulated for bonding modular PVCbacked carpet to the floor. This premium adhesive is for use with all Nexus Modular Tile products. This adhesive is guaranteed for the life of the installation when used in accordance with the EF Contract Carpet Installation Handbook. Commercialon Premium Modular Adhesive meets the CRI Low-VOC Emission Criteria. Commercialon Premium Modular Adhesive is nontoxic, has ultra-low odor and is antimicrobial in the dry state.

Optional

TILETABS

High Tack Adhesive Tabs (modular only)

Technologies

PROTEX® SOIL RELEASE

ProTex is a proprietary soil release technology that is applied and bonded to the pile fiber to impede soiling and to improve cleanability. It is standard on all EF Contract flooring products.

Optional

PROSEPT® ANTIMICROBIAL

SENTIR® ADVANCED ODOR-BLOCKING TECHNOLOGY







©2022 Engineered Floors LLC - This unique design is protected under the U.S. Copyright Act of 1976. Any unauthorized copying or duplication of this design constitutes copyright infringement in violation of federal law.

Due to the unique visual characteristics of modular carpets, pattern repeats and pattern run-off seams may appear more noticeable than in broadloom carpets. Such visual characteristics do not constitute a manufacturing defect, and as such, should be considered when selecting modular carpet and its installation. These photographs are representations of the installation for this modular product. Your modular installation may look different than these photos depending upon individual tile placement, lighting and overall space layout, including furnishings. Final tile placement and the resulting visual is thus the customer's, and not EF Contract's, responsibility.

To learn more, visit:

EFCONTRACTFLOORING.COM

STYLE	FRAGMENTS TFRG
CONSTRUCTION	PATTERNED SCROLL
FIBER TYPE	100% ENCORE® SD ULTIMA NYLON (WITH RECYCLED CONTENT)
DYE METHOD	SOLUTION DYED
OUNCE WEIGHT	15 OZ/SY (509 GRAMS/M2)
GAUGE	1/12 IN (4.72 ROWS/CM)
BACKING	NEXUS® MODULAR
DENSITY	9643 OZ./SY (357.57 KG/M3)
TOTAL THICKNESS	.196 INCHES
SIZE	24" X 24" (60.96CM X 60.96CM)
PATTERN REPEAT	N/A
FINISHED PILE THICKNESS	.056 INCHES
SPECIAL TECHNOLOGY	PROTEX® SOIL RELEASE
OPTIONAL SPECIAL TECHNOLOGIES	PROSEPT® ANTIMICROBIAL SENTIR® ADVANCED ODOR BLOCKING TREATMENT
PHYSICAL TESTING	FLOORING RADIANT PANEL – (CLASS 1) PILL TEST – (PASSES) SMOKE DENSITY – (LESS THAN 450 FLAMING) STATIC GENERATION – (LESS THAN 3.0 KV)
FIBER WARRANTIES	LIFETIME FIBER PERFORMANCE FOR WEAR LIFETIME FIBER PERFORMANCE FOR STATIC LIFETIME STAIN REMOVAL LIFETIME COLORFASTNESS TO LIGHT AND ATMOSPHERIC CONTAMINANTS
BACKING WARRANTIES	LIFETIME FOR TUFT BIND STRENGTH (EDGE RAVEL, YARN PULLS, ZIPPERING) LIFETIME AGAINST DELAMINATION LIFETIME DIMENSIONAL STABILITY

RECOMMENDED INSTALLATION **METHODS**









11

