


QUICKSHIP OPTIONS

# Ground Work Collection

Crosscut  
Masonry

MODULAR CARPET





## Ground Work Collection

Where strength meets artistry. The Ground Work Collection is built as a foundation for bold ideas and enduring design—crafted for creators who build with intention and shape spaces with confidence.

**Crosscut — Precision in every line.** Crosscut delivers sharp definition and dynamic texture, engineered to break through the ordinary and set the stage for truly extraordinary spaces.

**Masonry — Solid, timeless, and rooted in tradition.** Masonry channels the strength of stone and the elegance of architectural craft, offering a tactile richness that feels as enduring as the traditions that inspired it.

Both styles are available in 18" x 36" tiles and eight refined colorways, giving creators the freedom to shape spaces with intention.











18" x 36" MODULAR

CROSSCUT



CRO03  
CONCRETE  
**QUICKSHIP**




CRO08  
MORTAR  
**QUICKSHIP**



CRO04  
AGGREGATE



CRO06  
BEAM



CRO02  
FOOTING



CRO07  
FOUNDATION



CRO05  
DRYWALL



CRO01  
BLUEPRINT  
**QUICKSHIP**

QS  
OPTIONS



10 business days or less for orders up to 1,500 square yards on standard backing systems.

Samples & Customer Service  
800-451-1250

SCAN ME!



Scan to order samples or check inventory.

18" x 36" MODULAR

MASONRY



MAS03  
CONCRETE  
**QUICKSHIP**



MAS08  
MORTAR  
**QUICKSHIP**



MAS04  
AGGREGATE



MAS06  
BEAM



MAS02  
FOOTING



MAS07  
FOUNDATION



MAS05  
DRYWALL



MAS01  
BLUEPRINT  
**QUICKSHIP**

QS  
OPTIONS




10 business days or less for orders up to 1,500 square yards on standard backing systems.

Samples & Customer Service  
800-451-1250

SCAN ME!



Scan to order samples or check inventory.





## COORDINATING PALETTE

Beyond the beauty of individual products, EF Contract's flooring **coordinate effortlessly** across all of our product platforms - modular carpet tile, broadloom, LVT and Kinetex textile composite flooring. This offering enables you to blend a range of designs to create **palettes** that meet the demands of each unique space.

|    |                                |       |                     |
|----|--------------------------------|-------|---------------------|
| 1  | DUAL - APPARENT                | DUL12 | KINETEX             |
| 2  | ARTISAN - SAND                 | ART30 | MODULAR             |
| 3  | IMMERSE - CHARRED              | IMM54 | MODULAR & BROADLOOM |
| 4  | MELANGE - CAFÉ AU LAIT         | 001   | LVT                 |
| 5  | CROSSCUT - AGGREGATE           | CRO04 | MODULAR             |
| 6  | ARTISAN ACCENT - SAND ACCENT   | ARA30 | MODULAR             |
| 7  | SNEAK PEEK - SECRET            | 003   | LVT                 |
| 8  | MASONRY - AGGREGATE            | MAS04 | MODULAR             |
| 9  | WILDWOODS - GROWTH             | 003   | LVT                 |
| 10 | COMMON THREAD - PEWTER RAPPORT | CMT51 | MODULAR & BROADLOOM |
| 11 | DOUBLE - TENOR                 | DLE12 | KINETEX             |

PRODUCT DETAILS

**Fiber**

100% ENCORE® SD ULTIMA® NYLON  
(WITH RECYCLED CONTENT)

Encore SD Ultima is specifically engineered to maximize appearance retention with exceptional color, performance, sustainability and practicality.

**FIBER OPTION**

ENCORE® 100

The high recycled content incorporated into Encore 100 nylon provides a reduced environmental impact without compromising quality or color clarity.

- 100% post-industrial (pre-consumer) recycled content
- Full inclusion into the EF Contract's Flooring Reclamation Program
- Lifetime warranty for stain removal, colorfastness, wear and static
- See sales rep for for availability and price

**Standard Backing**

NEXUS® MODULAR

Nexus modular products can be installed in a variety of ways and are performance engineered to be visually appealing. In addition, they are designed to accommodate your long-term flooring budget.

- Contains pre-consumer recycled content and contributes to LEED
- Recyclable through EF Contract's Flooring Reclamation Program
- Manufactured in an ISO 14001 certified facility

**OPTIONAL BACKING**

ADVANCE MODULAR CARPET BACKING™ is engineered to provide outstanding performance, protection and stability that is required of modular carpet systems.

- PVC-Free
- Contains recycled content and contributes to LEED
- Eligible for landfill diversion through the EF Contract's Flooring Reclamation Program

**Moisture**

Are high levels of moisture in your concrete slab causing issues with your project's floor covering? We can help.

- Nexus Modular Carpet with TileTabs - 99% RH
- Cost-efficient
- Long-term performance
- Straightforward, easy-to-understand Lifetime warranty
- Requires no special floor preparation

**Adhesives**

COMMERCIALON® PREMIUM MODULAR ADHESIVE

A high-strength acrylic latex-based carpet adhesive specifically formulated for bonding modular PVC backed carpet to the floor. This premium adhesive is for use with all Nexus Modular Tile products. This adhesive is guaranteed for the life of the installation when used in accordance with the EF Contract Carpet Installation Handbook. Commercialon Premium Modular Adhesive meets the CRI Low-VOC Emission Criteria. Commercialon Premium Modular Adhesive is nontoxic, has ultra-low odor and is antimicrobial in the dry state.

**Optional**

TILETABS

High Tack Adhesive Tabs (modular only)

**Technologies**

PROTEX® SOIL RELEASE

ProTex is a proprietary soil release technology that is applied and bonded to the pile fiber to impede soiling and to improve cleanability. It is standard on all EF Contract flooring products

**Optional**

PROSEPT® ANTIMICROBIAL

SENTIR® ADVANCED ODOR-BLOCKING TECHNOLOGY

|   |   |
|---|---|
| <b>Warranty: Installed With TileTabs</b>                                      | Lifetime  |
| <b>Warranty: Installed With Commercialon® Premium Adhesive (non-prorated)</b> | Lifetime  |
| <b>Warranty: Installed With Any Other Adhesive</b>                            | 1 year  |
| <b>Max RH, pH Installed Without Commercialon® Sealer</b>                      | 90% RH, pH 9  |
| <b>Max RH, pH Installed With Commercialon® Premium Sealer</b>                 | 99% RH, pH 11 (TileTabs)<br>—<br>97% RH, pH 11 (Commercialon) |



PRODUCT DETAILS

| STYLE                         | CROSSCUT   TCRO  | MASONRY   TMAS   |
|-------------------------------|--|--|
| SIZE                          | 18" X 36"  | 18" X 36"  |
| CONSTRUCTION                  | PATTERNED LOOP   | PATTERNED LOOP   |
| FIBER TYPE                    | ENCORE® SD NYLON   | ENCORE® SD NYLON   |
| FIBER OPTION                  | ENCORE® 100  | ENCORE® 100  |
| DYE METHOD                    | SOLUTION DYED  | SOLUTION DYED  |
| OUNCE WEIGHT                  | 16 OZ / SQUARE YARD  | 16 OZ / SQUARE YARD  |
| GAUGE                         | 1/12 IN  | 1/12 IN  |
| TOTAL THICKNESS               | .218 INCHES (0.554 CM)   | .218 INCHES (0.554 CM)   |
| STANDARD BACKING              | NEXUS® MODULAR   | NEXUS® MODULAR   |
| OPTIONAL BACKING              | ADVANCE MODULAR  | ADVANCE MODULAR  |
| SPECIAL TECHNOLOGY            | PROTEX® SOIL RELEASE   | PROTEX® SOIL RELEASE   |
| OPTIONAL SPECIAL TECHNOLOGIES | PROSEPT® ANTIMICROBIAL<br>SENTIR® ADVANCED ODOR BLOCKING TREATMENT   | PROSEPT® ANTIMICROBIAL<br>SENTIR® ADVANCED ODOR BLOCKING TREATMENT   |
| PHYSICAL TESTING              | FLOORING RADIANT PANEL – (CLASS 1)<br>PILL TEST – (PASSES)<br>SMOKE DENSITY – (LESS THAN 450 FLAMING)<br>STATIC GENERATION – (LESS THAN 3.5 KV)  | FLOORING RADIANT PANEL – (CLASS 1)<br>PILL TEST – (PASSES)<br>SMOKE DENSITY – (LESS THAN 450 FLAMING)<br>STATIC GENERATION – (LESS THAN 3.5 KV)  |
| FIBER WARRANTY                | LIFETIME FIBER PERFORMANCE FOR WEAR<br>LIFETIME FIBER PERFORMANCE FOR STATIC<br>LIFETIME STAIN REMOVAL   | LIFETIME FIBER PERFORMANCE FOR WEAR<br>LIFETIME FIBER PERFORMANCE FOR STATIC<br>LIFETIME STAIN REMOVAL   |
| BACKING WARRANTY              | LIFETIME COLORFASTNESS TO LIGHT AND ATMOSPHERIC CONTAMINANTS<br>LIFETIME FOR TUFT BIND STRENGTH (EDGE RAVEL, YARN PULLS, ZIPPERING)<br>LIFETIME AGAINST DELAMINATION<br>LIFETIME DIMENSIONAL STABILITY | LIFETIME COLORFASTNESS TO LIGHT AND ATMOSPHERIC CONTAMINANTS<br>LIFETIME FOR TUFT BIND STRENGTH (EDGE RAVEL, YARN PULLS, ZIPPERING)<br>LIFETIME AGAINST DELAMINATION<br>LIFETIME DIMENSIONAL STABILITY |

**RECOMMENDED INSTALLATION METHODS**



©2026 Engineered Floors LLC - This unique design is protected under the U.S. Copyright Act of 1976. Any unauthorized copying or duplication of this design constitutes copyright infringement in violation of federal law.

Due to the unique visual characteristics of modular carpets, pattern repeats and pattern run-off seams may appear more noticeable than in broadloom carpets. Such visual characteristics do not constitute a manufacturing defect, and as such, should be considered when selecting modular carpet and its installation. These photographs are representations of the installation for this modular product. Your modular installation may look different than these photos depending upon individual tile placement, lighting and overall space layout, including furnishings. Final tile placement and the resulting visual is thus the customer's, and not EF Contract's, responsibility.



PO Box 2207  
Dalton, Georgia 30722  
U.S.A.

800.451.1250  
[efcontract.com](http://efcontract.com)  
FX3426M02