

## Safety Data Sheet KINETEX ADHESIVE

Safety Data Sheet dated: 4/1/2016 - version 1

Date of first edition: 4/1/2016

#### 1. IDENTIFICATION

#### **Product identifier**

Mixture identification:

Trade name: KINETEX ADHESIVE

Recommended use of the chemical and restrictions on use

Recommended use: Adhesive Restrictions on use: N.A.

Name, address, and telephone number of the chemical manufacturer, importer, or other responsible party

Company: MAPEI CORP. (USA and Puerto Rico)

1144 East Newport Center Drive 33442 - Deerfield Beach - FL - USA

Phone: 706-529-2100 **Emergency 24 hour numbers:** 

(USA) CHEMTREC 1-800-424-9300 (Canada) CANUTEC 1-613-996-6666

### 2. HAZARD(S) IDENTIFICATION

#### Classification of the chemical

The product is not classified as dangerous according to OSHA Hazard Communication Standard (29 CFR 1910.1200).

#### **Label elements**

The product is not classified as dangerous according to OSHA Hazard Communication Standard (29 CFR 1910.1200).

### Ingredient(s) with unknown acute toxicity:

None

Hazards not otherwise classified identified during the classification process:

None

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### **Substances**

N.A.

## Mixtures

Hazardous components within the meaning of 29 CFR 1910.1200 and related classification:

#### List of components

QuantityNameIdent. Numb.Classification1-5 %2-amino-2-methylpropanolCAS:124-68-5Eye Irrit. 2A, H319; Skin Irrit. 2, H315; Aquatic Chronic 3, H412; Flam. Liq. 4, H227

## 4. FIRST AID MEASURES

# **Description of first aid measures**

In case of skin contact:

Wash with plenty of water and soap.

In case of eyes contact:

Wash immediately with water.

In case of Ingestion:

Do not induce vomiting, get medical attention showing the SDS and the hazard label.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

## Most important symptoms/effects, acute and delayed

N.A

Indication of any immediate medical attention and special treatment needed

## 5. FIRE-FIGHTING MEASURES

## **Extinguishing media**

Suitable extinguishing media:

Date 7/12/2016 Production Name KINETEX ADHESIVE Page n. 1 of 7

Water.

Carbon dioxide (CO2).

### Unsuitable extinguishing media:

None in particular.

### Specific hazards arising from the chemical

Do not inhale explosion and combustion gases.

Burning produces heavy smoke. Hazardous combustion products: N.A.

Explosive properties: N.A. Oxidizing properties: N.A.

#### Special protective equipment and precautions for fire-fighters

Use suitable breathing apparatus.

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

#### **6. ACCIDENTAL RELEASE MEASURES**

### Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment.

Remove persons to safety.

See protective measures under point 7 and 8.

#### Methods and material for containment and cleaning up

Suitable material for taking up: absorbing material, organic, sand

Wash with plenty of water.

### 7. HANDLING AND STORAGE

#### Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

Do not eat or drink while working.

See also section 8 for recommended protective equipment.

### Conditions for safe storage, including any incompatibilities

Storage temperature: N.A. Incompatible materials:

None in particular.

Instructions as regards storage premises:

Adequately ventilated premises.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## **Control parameters**

No Data Available

Appropriate engineering controls: N.A. **Individual protection measures** 

Eye protection:

Not needed for normal use. Anyway, operate according good working practices.

Protection for skin:

No special precaution must be adopted for normal use.

Protection for hands:

Not needed for normal use.

Respiratory protection:

N.A.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

## Information on basic physical and chemical properties

Physical state: Liquid

Appearance and colour: Paste whitish

Odour: N.A.

Odour threshold: N.A.

pH: 9.50

Melting point / freezing point: N.A.

Initial boiling point and boiling range: >=100 °C (212 °F)

Flash point: >94 °C (201 °F) Evaporation rate: N.A.

Upper/lower flammability or explosive limits: N.A.

Date 7/12/2016 Production Name KINETEX ADHESIVE Page n. 2 of 7

Vapour density: N.A.
Vapour pressure: N.A.
Relative density: 1.01 g/cm3
Solubility in water: Dispersible

Solubility in oil: N.A.

Partition coefficient (n-octanol/water): N.A.

Auto-ignition temperature: N.A. Decomposition temperature: N.A.

Viscosity: N.A.

Explosive properties: N.A. Oxidizing properties: N.A. Solid/gas flammability: N.A.

#### Other information

Substance groups relevant properties: N.A.

Miscibility: N.A. Fat Solubility: N.A. Conductivity: N.A.

#### 10. STABILITY AND REACTIVITY

#### Reactivity

Stable under normal conditions

## **Chemical stability**

Data not Available.

### Possibility of hazardous reactions

None.

#### Conditions to avoid

Stable under normal conditions.

#### **Incompatible materials**

None in particular.

## **Hazardous decomposition products**

None.

### 11. TOXICOLOGICAL INFORMATION

# Information on toxicological effects

## Toxicological information of the mixture:

There is no toxicological data available on the mixture. Consider the individual concentration of each component to assess toxicological effects resulting from exposure to the mixture.

### Toxicological information on main components of the mixture:

Naphthenic oil a) acute toxicity LC50 Inhalation Rat = 2,18000mg/l 4h

LD50 Oral Rat > 500,00000mg/kg LD50 Skin Rabbit > 2000,00000mg/kg

2-amino-2-methylpropanol a) acute toxicity LD50 Skin Rabbit > 2000mg/kg

LD50 Oral Rat = 2900mg/kg

## If not differently specified, the information required in the regulation and listed below must be considered as N.A.

- a) acute toxicity
- b) skin corrosion/irritation
- c) serious eye damage/irritation
- d) respiratory or skin sensitisation
- e) germ cell mutagenicity
- f) carcinogenicity
- g) reproductive toxicity
- h) STOT-single exposure
- i) STOT-repeated exposure
- j) aspiration hazard

## Substance(s) listed on the IARC Monographs:

None

Date 7/12/2016 Production Name KINETEX ADHESIVE Page n. 3 of 7

### Substance(s) listed as OSHA Carcinogen(s):

None

### Substance(s) listed as NIOSH Carcinogen(s):

None

### Substance(s) listed on the NTP report on Carcinogens:

None

### 12. ECOLOGICAL INFORMATION

#### **Toxicity**

Adopt good working practices, so that the product is not released into the environment.

Eco-Toxicological Information:

### List of components with eco-toxicological properties

Quantity	Component	ldent. Numb.	Ecotox Infos
1-5 %	2-amino-2-methylpropanol	CAS: 124-68-5	LC50 a) Aquatic acute toxicity Fish Lepomis macrochirus= 190mg/L 96h IUCLID
			EC50 a) Aquatic acute toxicity Daphnia Daphnia magna= 193mg/L 48h IUCLID
			EC50 a) Aquatic acute toxicity Algae Desmodesmus subspicatus= 520mg/L 72h IUCLID

### Persistence and degradability

N.A.

#### **Bioaccumulative potential**

N.A.

## Mobility in soil

N.A.

#### Other adverse effects

N.A.

### 13. DISPOSAL CONSIDERATIONS

#### **Waste treatment methods**

Waste must be handled in accordance with all federal, state, provincial, and local regulations. Consult authorities before disposal.

## 14. TRANSPORT INFORMATION

Not classified as dangerous in the meaning of transport regulations.

## **UN** number

ADR-UN number: N.A. DOT-UN Number: N.A. IATA-Un number: N.A. IMDG-Un number: N.A.

# **UN** proper shipping name

ADR-Shipping Name: N.A.
DOT-Proper Shipping Name: N.A.
IATA-Technical name: N.A.
IMDG-Technical name: N.A.

## Transport hazard class(es)

ADR-Class: N.A.
DOT-Hazard Class: N.A.
IATA-Class: N.A.
IMDG-Class: N.A.

## **Packing group**

ADR-Packing Group: N.A. DOT-Packing group: N.A. IATA-Packing group: N.A. IMDG-Packing group: N.A.

#### **Environmental hazards**

Marine pollutant: No

Environmental Pollutant: N.A.

## Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

N.A.

# **Special precautions**

Department of Transportation (DOT):

Date 7/12/2016 Production Name KINETEX ADHESIVE Page n. 4 of 7

N.A.

Road and Rail (ADR-RID):

N.A.

Air (IATA):

N.A.

Sea (IMDG):

N.A.

### 15. REGULATORY INFORMATION

#### **USA** - Federal regulations

## **TSCA - Toxic Substances Control Act**

TSCA inventory:

All the components are listed on the TSCA inventory

TSCA listed substances:

2-amino-2-methylpropanol

is listed in TSCA

Section 8b

### **SARA - Superfund Amendments and Reauthorization Act**

Section 302 - Extremely Hazardous Substances:

no substances listed

Section 304 - Hazardous substances:

no substances listed

Section 313 - Toxic chemical list:

no substances listed

### CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act

Substance(s) listed under CERCLA:

no substances listed

#### CAA - Clean Air Act

**CAA listed substances:** 

no substances listed

#### CWA - Clean Water Act

CWA listed substances:

no substances listed

## **USA - State specific regulations**

## **California Proposition 65**

Substance(s) listed under California Proposition 65:

no substances listed

## Massachusetts Right to know

Substance(s) listed under Massachusetts Right to know:

2-amino-2-methylpropanol

## Pennsylvania Right to know

Substance(s) listed under Pennsylvania Right to know:

2-amino-2-methylpropanol

### New Jersey Right to know

Substance(s) listed under New Jersey Right to know:

2-amino-2-methylpropanol

## **Canada- Federal regulations**

#### **DSL - Domestic Substances List**

DSL Inventory:

All the substances are listed in the DSL.

Date 7/12/2016 Production Name KINETEX ADHESIVE Page n. 5 of 7

#### **NDSL - Non Domestic Substances List**

NDSL Inventory:

no substances listed

#### **NPRI - National Pollutant Release Inventory**

#### Substances listed in NPRI:

no substances listed

#### 16. OTHER INFORMATION

Description

H227 Combustible liquid.
H315 Causes skin irritation.
H319 Causes serious eye irritation.
H412 Harmful to aquatic life with long lasting effects.
Safety Data Sheet dated: 4/1/2016 - version 1

Product code: 9019423

Code

### Additional classification information





HMIS Health: 0 = Minimal

HMIS Health - Is health hazard chronic?: No HMIS Flammability: 1 = Combustible if heated

HMIS Reactivity: 0 = Minimal HMIS P.P.E.: Safety glasses, gloves

NFPA Health: 0 = Minimal

NFPA Flammability: 1 = Combustible if heated

NFPA Reactivity: 0 = Minimal NFPA Special Risk: N.A.

Reasonable care has been taken in the preparation of this information, but the manufacturer makes no warranty of merchantability or any other warranty, expressed or implied, with respect to this information. The manufacturer makes no representations and assumes no liability for any direct, incidental or consequential damages resulting from its use. The information herein is presented in good faith and believed to be accurate as of the effective date given. It is the buyer's responsibility to ensure that its activities comply with Federal, State or provincial, and local laws.

This document was prepared by a competent person who has received appropriate training.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This SDS cancels and replaces any preceding release.

## Legend to abbreviations and acronyms used in the safety data sheet:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.

RID: Regulation Concerning the International Transport of Dangerous Goods by Rail.

IMDG: International Maritime Code for Dangerous Goods.

IATA: International Air Transport Association.

IATA-DGR: Dangerous Goods Regulation by the "International Air Transport Association" (IATA).

ICAO: International Civil Aviation Organization.

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO).

GHS: Globally Harmonized System of Classification and Labeling of Chemicals.

CLP: Classification, Labeling, Packaging.

EINECS: European Inventory of Existing Commercial Chemical Substances.

INCI: International Nomenclature of Cosmetic Ingredients.

CAS: Chemical Abstracts Service (division of the American Chemical Society).

GefStoffVO: Ordinance on Hazardous Substances, Germany. LC50: Lethal concentration, for 50 percent of test population.

LD50: Lethal dose, for 50 percent of test population.

DNEL: Derived No Effect Level.

PNEC: Predicted No Effect Concentration.

TLV: Threshold Limiting Value.

TWATLV: Threshold Limit Value for the Time Weighted Average 8 hour day. (ACGIH Standard).

Date 7/12/2016 Production Name KINETEX ADHESIVE Page n. 6 of 7

STEL: Short Term Exposure limit.
STOT: Specific Target Organ Toxicity.
WGK: German Water Hazard Class.

KSt: Explosion coefficient.

Date 7/12/2016 Production Name KINETEX ADHESIVE Page n. 7 of 7