


Quickship

Batiste II
Crossing II
Mica II

CARPET | PLANKS







Batiste II Crossing II Mica II


Inspired by the plain-weave linens of 13th-century French craftsman Jean-Batiste, Batiste II features a small cross-hatch pattern, each of which includes metallic highlights. Weaving is the inspiration for a highly usable pattern of intersecting lines that bring depth and interest to the floor. Tip-Sheared and textural, Crossing II's planks can be installed to create a formal or casual, structured or playful look. Inspired by the mineral mica, brilliant from every angle, Mica II uses metallic yarns to give a sparkling look to the floor. Unlimited pattern and design flexibility are its strengths, heightened by a complete spectrum of 8 neutral and bright Quickship colors.
















12" X 48" MODULAR



BTT53 | SATEEN



BTT74 | FEDORA



BTT58 | TWEED DELUXE

BATISTE II



10 business days or less for orders
up to 1,500 square yards on
standard backing systems.

Samples & Customer Service
800-451-1250

SCAN ME!



Scan to order
samples or
check inventory.



12" X 48" MODULAR



CSS45 | SHADOW



CSS72 | KNITTING NEEDLE



CSS76 | CORDUROY



10 business days or less for orders
up to 1,500 square yards on
standard backing systems.

Samples & Customer Service
800-451-1250

CROSSING II

SCAN ME!



Scan to order
samples or
check inventory.



12" X 48" MODULAR


MICA II



MC106 | PERKY RED



MC304 | DUSTSTORM



MC306 | STAR PERFORMER



MC503 | BRASS BAND



MC702 | HIGH DIVE



MC708 | BLUES CLUES



MC901 | SPARKLER



MC908 | BLACK MAGIC



10 business days or less for orders up to 1,500 square yards on standard backing systems.

Samples & Customer Service
800-451-1250

SCAN ME!



Scan to order samples or check inventory.

PRODUCT DETAILS

Fiber

ENCORE® SD ULTIMA® (WITH RECYCLED CONTENT)
Encore SD Ultima is specifically engineered to maximize appearance retention with exceptional color, performance, sustainability and practicality.

Moisture

Are high levels of moisture in your concrete slab causing issues with your project's floor covering? We can help.

- Nexus Modular Carpet with TileTabs - 99% RH
- Cost-efficient
- Long-term performance
- Straightforward, easy-to-understand Lifetime warranty
- Requires no special floor preparation

RH/pH Warranty

Warranty: Installed With TileTabs	Lifetime
Warranty: Installed With Commercialon® Premium Adhesive (non-prorated)	Lifetime
Warranty: Installed With Any Other Adhesive	1 year
Max RH, pH Installed Without Commercialon® Sealer	90% RH, pH 9
Max RH, pH Installed With Commercialon® Premium Sealer	99% RH, pH 11 (TileTabs) — 97% RH, pH 11 (Commercialon)

Backings

NEXUS® MODULAR
Nexus modular products can be installed in a variety of ways and are performance engineered to be visually appealing. In addition, they are designed to accommodate your long-term flooring budget.

- Contains pre-consumer recycled content and contributes to LEED
- Recyclable through EF Contract's R4 Carpet Reclamation Program

PREMIERBAC® PLUS
PremierBac Plus is standard on broadloom products and provides superior construction to ensure solid dimensional stability for broadloom carpets.

- Stretch-in or glue-down installation
- Manufactured in an ISO 14001 certified facility
- Contains pre-consumer recycled content and contributes to LEED
- Recyclable through the EF Contract R4 Carpet Reclamation Program

Adhesives

COMMERCIALON® PREMIUM MODULAR ADHESIVE
A high-strength acrylic latex-based carpet adhesive specifically formulated for bonding modular PVC backed carpet to the floor. This premium adhesive is for use with all Nexus Modular Tile products. This adhesive is guaranteed for the life of the installation when used in accordance with the EF Contract Carpet Installation Handbook. Commercialon Premium Modular Adhesive meets the CRI Low-VOC Emission Criteria. Commercialon Premium Modular Adhesive is nontoxic, has ultra-low odor and is antimicrobial in the dry state.

Optional

TILETABS
High Tack Adhesive Tabs (modular only)

Technologies

PROTEX® SOIL RELEASE
ProTex is a proprietary soil release technology that is applied and bonded to the pile fiber to impede soiling and to improve cleanability. It is standard on all EF Contract flooring products

Optional

PROSEPT® ANTIMICROBIAL
SENTIR® ADVANCED ODOR-BLOCKING TECHNOLOGY



©2018 Engineered Floors LLC - This unique design is protected under the U.S. Copyright Act of 1976. Any unauthorized copying or duplication of this design constitutes copyright infringement in violation of federal law.

Due to the unique visual characteristics of modular carpets, pattern repeats and pattern run-off seams may appear more noticeable than in broadloom carpets. Such visual characteristics do not constitute a manufacturing defect, and as such, should be considered when selecting modular carpet and its installation. These photographs are representations of the installation for this modular product. Your modular installation may look different than these photos depending upon individual tile placement, lighting and overall space layout, including furnishings. Final tile placement and the resulting visual is thus the customer's, and not EF Contract's, responsibility.

To learn more, visit:
EFCONTRACTFLOORING.COM

STYLE	BATISTE II TBTT	CROSSING II TCSS	MICA II TMC
CONSTRUCTION	TEXTURED LOOP	TIP-SHEARED SCROLL	TEXTURED LOOP
FIBER TYPE	100% ENCORE® SD ULTIMA® NYLON (with recycled content)	100% ENCORE® SD ULTIMA® NYLON (with recycled content)	100% ENCORE® SD ULTIMA® NYLON (with recycled content)
DYE METHOD	SOLUTION DYED	SOLUTION DYED	SOLUTION DYED
OUNCE WEIGHT	22 OZ SQUARE YARD	22 OZ SQUARE YARD	24 OZ SQUARE YARD
GAUGE	1/10 IN	1/12 IN	1/10 IN
BACKING	NEXUS® MODULAR	NEXUS® MODULAR	NEXUS® MODULAR
FINISHED PILE THICKNESS	.11 INCHES	.124 INCHES	.78 INCHES
DENSITY	6,387	6,387	11,077
SIZE	12" W X 48" L	12" W X 48" L	12" W X 48" L
PATTERN REPEAT	N/A	N/A	N/A
SPECIAL TECHNOLOGY	PROTEX® SOIL RELEASE	PROTEX® SOIL RELEASE	PROTEX® SOIL RELEASE
OPTIONAL SPECIAL TECHNOLOGIES	PROSEPT® ANTIMICROBIAL SENTIR® ADVANCED ODOR BLOCKING TREATMENT	PROSEPT® ANTIMICROBIAL SENTIR® ADVANCED ODOR BLOCKING TREATMENT	PROSEPT® ANTIMICROBIAL SENTIR® ADVANCED ODOR BLOCKING TREATMENT
PHYSICAL TESTING	FLOORING RADIANT PANEL – (CLASS 1) PILL TEST – (PASSES) SMOKE DENSITY – (LESS THAN 450 FLAMING) STATIC GENERATION – (LESS THAN 3.5 KV)	FLOORING RADIANT PANEL – (CLASS 1) PILL TEST – (PASSES) SMOKE DENSITY – (LESS THAN 450 FLAMING) STATIC GENERATION – (LESS THAN 3.5 KV)	FLOORING RADIANT PANEL – (CLASS 1) PILL TEST – (PASSES) SMOKE DENSITY – (LESS THAN 450 FLAMING) STATIC GENERATION – (LESS THAN 3.5 KV)
FIBER WARRANTIES	LIFETIME FIBER PERFORMANCE FOR WEAR LIFETIME FIBER PERFORMANCE FOR STATIC LIFETIME STAIN REMOVAL LIFETIME COLORFASTNESS TO LIGHT AND ATMOSPHERIC CONTAMINANTS	LIFETIME FIBER PERFORMANCE FOR WEAR LIFETIME FIBER PERFORMANCE FOR STATIC LIFETIME STAIN REMOVAL LIFETIME COLORFASTNESS TO LIGHT AND ATMOSPHERIC CONTAMINANTS	LIFETIME FIBER PERFORMANCE FOR WEAR LIFETIME FIBER PERFORMANCE FOR STATIC LIFETIME STAIN REMOVAL LIFETIME COLORFASTNESS TO LIGHT AND ATMOSPHERIC CONTAMINANTS
BACKING WARRANTIES	LIFETIME FOR TUFT BIND STRENGTH (EDGE RAVEL, YARN PULLS, ZIPPERING) LIFETIME AGAINST DELAMINATION LIFETIME DIMENSIONAL STABILITY	LIFETIME FOR TUFT BIND STRENGTH (EDGE RAVEL, YARN PULLS, ZIPPERING) LIFETIME AGAINST DELAMINATION LIFETIME DIMENSIONAL STABILITY	LIFETIME FOR TUFT BIND STRENGTH (EDGE RAVEL, YARN PULLS, ZIPPERING) LIFETIME AGAINST DELAMINATION LIFETIME DIMENSIONAL STABILITY

RECOMMENDED INSTALLATION METHODS

ASHLAR

BASKETWEAVE

PARQUET

HERRINGBONE

MONOLITHIC



PO Box 2207
Dalton, Georgia 30722
U.S.A.

800.451.1250
efcontractflooring.com