

Woodlands II

LVT





Woodlands II

Stirred by the dark and light of deep forests – an atmosphere both calm and peaceful – Woodlands II sparks a wellspring of spiritual energy. Noble and stately oaks, hickories and elms are reimagined through EF Contract's new collection of LVT that offers a natural element for thoughtful interiors. Beautiful knots and grainy dark stains of deep ebony, teak, russet and soft umbers create a rich, organic, and versatile design statement.





7" X 48"

WOODLANDS II



WOODLANDS II | EFCW2009
SILVER ASH



WOODLANDS II | EFCW2008
ACACIA



WOODLANDS II | EFCW2001
IRONWOOD



WOODLANDS II | EFCW2010
MOCHA



WOODLANDS II | EFCW2014
HONEY MAPLE



WOODLANDS II | EFCW2007
DANISH TEAK



WOODLANDS II | EFCW2013
TAMARACK



WOODLANDS II | EFCW2012
HAZEL



WOODLANDS II | EFCW2002
SEQUOIA




WOODLANDS II | EFCW2011
TAWNY ASH

SCAN ME!



Scan to order
samples or
check inventory.



COORDINATING PALETTES

Beyond the beauty of individual products, EF Contract's flooring **coordinate effortlessly** with each other. This offering enables you to blend a range of designs to create **palettes** that meet the demands of each unique space.

1	FREESTYLE - ADOBE	FRS73	MODULAR
2	SOUND - ACCENT	SOU15	KINETEX
3	WOODLANDS II - SEQUOIA	002	LVT
4	IMPRINT - ACORN	IMP77	KINETEX
5	TIME ZONE - INTERLAPSE GREY	TME56	MODULAR
6	SURFACE - OUTWARD	SUR15	KINETEX
7	PLATEAU - UMBRA	003	LVT
8	SPRINT 20 & 26 - BOLT	2656	BROADLOOM
9	TERRAIN PARK - EARTH	TER76	MODULAR

PRODUCT DETAILS

Sustainably Sound

EF Contract believes true sustainability requires full attention to the potential impacts of every aspect of our business. In accordance with our mission of waste reduction, all EF Contract LVT products are 100% recyclable.



You can rest assured that health is also a top priority and all EF Contract LVT products are FloorScore Certified.

©2024 Engineered Floors LLC - This unique design is protected under the U.S. Copyright Act of 1976. Any unauthorized copying or duplication of this design constitutes copyright infringement in violation of federal law.


These photographs are representations of the installation for this modular product. Your modular installation may look different than these photos depending upon individual tile placement, lighting, and overall space layout, including furnishings. Final tile placement and the resulting visual is thus the customer’s, and not EF Contract’s responsibility.

To learn more, visit:

EFCONTRACT.COM

ENVIRONMENTAL	
INDOOR AIR QUALITY	FLOORSCORE® CERTIFIED
LEED V4	CONTRIBUTES TO IAQ: LOW EMITTING MATERIALS
END OF LIFE	100% RECYCLABLE

TECHNICAL INFORMATION	
PRODUCT WARRANTY	15 YR COMMERCIAL WARRANTY
REQUIRED ADHESIVE	COMMERCIALON PREMIUM MODULAR AND LVT ADHESIVE
INSTALLATION METHOD	FULL SPREAD



- 1 Protective UV Cured Urethane With Ceramic Bead And Antimicrobial
- 2 20mil Wear Layer
- 3 High Definition Print Film
- 4 Impact Resistant Core Layer
- 5 Foundational Base Layer

STYLE	WOODLANDS II EFCW2
THICKNESS	2.5MM
WEAR LAYER	20MIL
FINISH/COATING	ENHANCED UV URETHANE W/ CERAMIC MICRO BEAD
NOMINAL DIMENSIONS (INCHES)	7" X 48"
PATTERN REPEAT	RANDOM WOOD
MICRO-BEVELED	YES
ANTIMICROBIAL	YES
CLASS/ASTM F1700	CLASS III PRINTED FILM VINYL PLANK TYPE B (EMBOSSED)
BACKING CLASS	COMMERCIAL GRADE
GLOSS LEVEL	MATTE FINISH
COMMERCIAL TRAFFIC	HEAVY COMMERCIAL
FLOORSCORE CERTIFIED (Y/N)	YES

PERFORMANCE		
SIZE AND TOLERANCE	ASTM F2055	PASSES
THICKNESS	ASTM F386	PASSES MAX. 0.010 IN.
SQUARENESS	ASTM F2055	PASSES
RESIDUAL INDENTATION	ASTM F1914	PASSES
FLEXIBILITY	ASTM F137	PASSES
DIMENSIONAL STABILITY	ASTM F2199	PASSES
CHEMICAL RESISTANCE	ASTM F925	PASSES
RESISTANCE TO HEAT	ASTM F1514	PASSES
RESISTANCE TO LIGHT	ASTM F1515	PASSES
CRITICAL RADIANT FLUX	ASTM E648	CLASS 1 (< 0.45 W/CM2)
OPTICAL SMOKE DENSITY	ASTM E662	PASSES < 450
SLIP RESISTANCE	ASTM C1028	PASSES ADA COMPLIANT (> 0.50)
STATIC LOAD	ASTM F970	PASSES

PACKAGING	
SQUARE FEET PER PLANK/TILE	2.33
SQUARE FEET PER CARTON	42
WEIGHT PER PLANK/TILE (LBS/PLANK)	1.96 (LBS.)
WEIGHT PER CARTON	35.30 (LBS)
PIECES PER BOX	18
BOXES PER PALLET	50

INSTALLATION



1/3 DROP



ASHLAR



HERRINGBONE



PO Box 2207
Dalton, Georgia 30722
U.S.A.

800.451.1250
efcontractflooring.com
JX5524M01